

Product Datasheet model uvex i-guard planet 9143 296



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

1. Product Characteristics

- member of the uvex i-range planet versatile 3in1 safety eyewear range – allows eyewear to be adapted according to workplace hazards
- large, flat lens delivers unrestricted field of vision
- x-tended sideshield offers additional protection from hazards
- soft, flexible face seal adapts to the wearer providing both protection and comfort. It also protects against droplets or splashes of liquids and large dust particles (markings 3 and 4)
- side arms with multi-incline points allow for a high level of individualization to ensure a good fit for all facial shapes and head widths
- ergonomically shaped side arms provide a secure fit without pressure
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

2. Technical Details Body			
Face seal			
Material	TPE, recycled		
Colour	anthracite		
Couplings			
Material	PC-PBT, recycled		
Colour	teal		
Temple			
Material	PA, bio-based		
Features	side arms with multi-incline points		
Colour	anthracite		
Marking			
Manufacturer's ID code	W		
Applicable EN norm	166		
Field of use	3 (drops and splashes of liquid)4 (large dust particles)		
Impact resistance	F (45 m/s)		
Conformity symbol	CE		

3. Technical Details Lens		
Material	PC	
Thickness	2.35 mm at PD	
Coating	uvex supravision excellence	
Colour	clear	
UV protection	UV400	
Marking		
Filter	2C-1.2 (EN 170)	
Manufacturer's ID code	W	
Optical class	1	
Impact resistance	F (45 m/s)	
Scratch resistance	К	
Antifog	Ν	
Conformity symbol	CE	
Factory symbol	M	

4. Logistical Information				
Product				
Weight	48g			
Dimensions (L x W x B) in approx. mm	Länge // Length Tiele // Depth picture only for reference			
	160 x 150 x 60			
	Packing unit 1	Packing unit 2	Packing unit 3	
EAN Code	4031101942339	4031101942339	4031101942339	
Quantity in pcs.	1	8	128	
Dimensions (L x W x H) in approx. mm	Länge Length Depth	Lidrige Longity Breite Muturn	Agene White	
	65 x 150 x 70	185 x 290 x 97	600 x 400 x 400	
Net weight in approx. g	48	384	6,144	
Gross weight in approx. g	78	730	12,535	
Country of Origin	Germany			

5. Miscellaneous		
Standards	EN 166 + EN 170	
PPE Category	Category II	